

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters	Benchmark		Units
				Max	Min	
SO3000015D	RECYCLING DEPOT INC	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000033D	THE CHEMITHON CORP	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000040D	CUSTOM GEAR INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000054D	HARBOR ISLAND MACHINE WORKS INC	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000056D	JAMES HARDIE GYPSUM	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000066D	JESSE ENGINEERING CO	UNNAMED	COLIFORM, FECAL	\$ 400		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)			MG/L
			OXYGEN, DISSOLVED (DO)		6.5	MG/L
SO3000074D	MILGARD TEMPERING	UNNAMED	COLIFORM, FECAL	\$ 200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)			MG/L
			OXYGEN, DISSOLVED (DO)		6.5	MG/L
SO3000084D	INTERCITY TRANSIT	INDIAN CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3000089D	ASAHIPEN AMERICA INC	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000109D	DUNLAP TOWING S TERM LOG YARD EVER	POSSESSION SOUND (NORTH)	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000139D	ALASKAN COPPER WORKS	UNNAMED	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000146D	BOEING DEVELOPMENTAL CENTER	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000148D	BOEING THOMPSON SITE	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000150D	BOEING MILITARY FLIGHT CENTER	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000153D	ACE GALVANIZING INC 41ST	LAKE WASHINGTON SHIP CANAL	PH	8.5	6.5	STANDARD UNITS
SO3000154D	ACE GALVANIZING INC 96TH	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters		Benchmark		Units
					Max	Min	
SO3000186D	MILNE FRUIT PRODUCTS INC	YAKIMA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000203D	MILLER SHINGLE CO YARD 3	SNOHOMISH RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000206D	LONGVIEW FIBRE SEATTLE	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000215D	DEL MONTE FOODS 125	WIDE HOLLOW CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3000226D	NORTH BOEING FIELD	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000232D	BOEING COMPANY RENTON PLANT	LAKE WASHINGTON	COLIFORM, FECAL	\$	100		#/100 ML
SO3000253D	TIERNEY ELEC MFG CO	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000259D	WESTERN PNEUMATIC TUBE CO	LAKE WASHINGTON	COLIFORM, FECAL	\$	100		#/100 ML
SO3000264D	PSF MECHANICAL INC	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000288D	FOUCH EQUIPMENT INC	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3000307D	MAERSK PACIFIC LTD LINCOLN AVE	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000319D	RSB MILL/GRAM MILL	COLUMBIA RIVER	TOTAL DISSOLVED GAS		110		PERCENT
SO3000324D	AMERICAN REINFORCED PLASTICS INC	HYLEBOS CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3000326D	PORTAC INC	WAPATO CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			6.5	MG/L
SO3000343D	KING COUNTY INT AIRPORT MAINT SHOP	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000350D	ARIMA MARINE	MILL CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3000370D	WEYERHAEUSER LUMBERMILL	WILLAPA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters		Benchmark		Units
					Max	Min	
SO3000382D	TWIN CITY FOODS INC PROS	YAKIMA RIVER	COLIFORM, FECAL	*	200		#/100 ML
SO3000385D	TREE TOP INC CASHMERE	WENATCHEE RIVER	GUTHION, AZINPHOS-METHYL		.01		UG/L
SO3000392D	BECKER TRUCK TERMINAL	DUWAMISH WATERWAY	COLIFORM, FECAL	\$	400		#/100 ML
SO3000411D	QUALITY CARRIERS, INC	UNNAMED	CADMIUM, TOTAL (AS CD)		3.54		UG/L
			COPPER		16.37		UG/L
			SOLIDS, TOTAL SUSPENDED		30		MG/L
			ZINC, TOTAL		110.56		UG/L
SO3000417D	METRO SOUTH OPERATING BASE	DUWAMISH RIVER	COLIFORM, FECAL	\$	400		#/100 ML
SO3000430D	SYSTEM TRANSFER AND STORAGE CO	UNNAMED	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000434D	UNITED PARCEL SERVICE WABOE	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000443D	UNITED PARCEL SERVICE WASAU	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000444D	UNITED PARCEL SERVICE WASEA	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000445D	UNITED PARCEL SERVICE WAPUL	MISSOURI FLAT CREEK	OXYGEN, DISSOLVED (DO)			8	MG/L
SO3000446D	UNITED PARCEL SERVICE WARED	BEAR CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			MERCURY, TOTAL (AS HG)		2.1		UG/L
SO3000450D	UNITED PARCEL SERVICE WAKEN	GREEN RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			MERCURY, TOTAL (AS HG)		2.1		UG/L
SO3000453D	V VAN DYKE INC	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000465D	HANJIN SHIPPING CO TERMINAL 46	ELLIOTT BAY	COLIFORM, FECAL	\$	200		#/100 ML
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000467D	STEVEDORING SERVICES TERMINAL 18	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED		30		MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>	<u>Benchmark</u>		<u>Units</u>
				<u>Max</u>	<u>Min</u>	
SO3000467D	STEVEDORING SERVICES TERMINAL 18	ELLIOTT BAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
		UNNAMED	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000471D	NORTHLAND SERVICES INC SEATTLE	UNNAMED	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000473D	MANKE LUMBER SHELTON LOG DUMP	SHELTON HARBOR (INNER)	COLIFORM, FECAL	\$ 43		#/100 ML
SO3000474D	FOG TITE INC	UNNAMED	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000482D	BOEING PLANT II	DUWAMISH WATERWAY	COLIFORM, FECAL	\$ 400		#/100 ML
			OXYGEN, DISSOLVED (DO)		6.5	MG/L
			PH	8.5	6.5	STANDARD UNITS
SO3000484D	PAC RAIL	ELLIOTT BAY	COLIFORM, FECAL	\$ 200		#/100 ML
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000486D	BURLINGTON NORTHERN SANTE FE DELTA	SNOHOMISH RIVER	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000550D	WESTERN AVENUE STEAM PLANT	ELLIOTT BAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000570D	SOLVAY INTEROX	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3000581D	WASTE MANAGEMENT OF SEATTLE MARG WY	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000582D	WASTE MANAGEMENT SEA RECYCLE AM	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000607D	GALVIN FLYING SERVICE INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000610D	BEALL TRAILERS OF WA INC 224TH	GREEN RIVER	CHROMIUM, TOTAL	237.67		UG/L
			COLIFORM, FECAL	\$ 200		#/100 ML
			MERCURY, TOTAL (AS HG)	2.1		UG/L
SO3000617D	STANDARD STEEL FABRICATING CO INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>	<u>Benchmark</u>		<u>Units</u>
				<u>Max</u>	<u>Min</u>	
SO3000634D	DUNLAP TOWING CO EVERETT FEDERAL AV	PORT GARDNER AND INNER EVERETT HARBOR	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000639D	MELTEC DIVISION OF YOUNG CORP	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000664D	HIRSCHLER MFG INC	LAKE WASHINGTON	COLIFORM, FECAL	\$ 100		#/100 ML
SO3000682D	TACOMA METALS INC	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000690D	FERRILLS AUTO PARTS LYNNWOOD	SCRIBER LAKE	PHOSPHORUS, TOTAL (AS P)	20		MG/L
SO3000707D	UNIVAR USA INC	MILL CREEK	CHROMIUM, TOTAL	237.67		UG/L
			COLIFORM, FECAL	\$ 200		#/100 ML
			MERCURY, TOTAL (AS HG)	2.1		UG/L
SO3000718D	BARBEE MILL CO INC	LAKE WASHINGTON	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000734D	OAK HARBOR FREIGHT AUBURN	MILL CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3000737D	SOUTH RECYCLE AND DISPOSAL STATION	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000740D	SYSTEM TRANSFER OF LONGVIEW INC	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3000741D	BEST AUTO PARTS INC	SCRIBER LAKE	PHOSPHORUS, TOTAL (AS P)	20		MG/L
SO3000749D	LOTT WASTEWATER TREATMENT PLANT	BUDD INLET (INNER)	OXYGEN, DISSOLVED (DO)		6.5	MG/L
			PH	9	6	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3000751D	REDONDO TREATMENT PLANT	UNNAMED	COLIFORM, FECAL	200		#/100 ML
SO3000763D	THE GEAR WORKS SEATTLE INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000792D	SIMPSON TIMBER CO	SHELTON HARBOR (INNER)	COLIFORM, FECAL	* 43		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Benchmark</u>		<u>Units</u>
					<u>Max</u>	<u>Min</u>	
SO3000798D	PW EAGLE INC SUNNYSIDE	YAKIMA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000801D	GRUNDFOS CBS INC.	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000804D	OBERTO SAUSAGE CO AIRPORT WAY PLANT	UNNAMED	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000843D	AFFORDABLE AUTO WRECKING	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3000858D	KENWORTH TRUCK CO RENTON	LAKE WASHINGTON	COLIFORM, FECAL	\$	100		#/100 ML
SO3000863D	FARWEST PAINT MFG CO	DUWAMISH RIVER	COLIFORM, FECAL	\$	400		#/100 ML
SO3000868D	MILLWORK SUPPLY CO	ELLIOTT BAY	COLIFORM, FECAL	\$	200		#/100 ML
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000872D	COCA COLA BOTTLING CO OF WASHINGTON	MERCER SLOUGH	DICHLORODIPHENYLTRICHLOROETHANE		1.1		UG/L
			DIELDRIN		2.5		UG/L
			HEPTACHLOR EPOXIDE		.52		UG/L
SO3000918D	WASTE CONTROL RECYCLING	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3000919D	WAITE SPECIALTY MACHINE INC 1356	LAKE SACAJAWEA	COLIFORM, FECAL	\$	100		#/100 ML
SO3000920D	WAITE SPECIALTY MACHINE INC 1160	COLUMBIA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000922D	VARICAST INC	COLUMBIA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000929D	SHAUGHNESSY HEAVY INDUSTRIES INC	MILL CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3000930D	SKYLINE ELECTRIC AND MFG CO INC	UNNAMED	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3000949D	PUGET SOUND TRUCK LINES INC SEA	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>	<u>Benchmark</u>		<u>Units</u>
				<u>Max</u>	<u>Min</u>	
SO3000950D	PUGET SOUND TRUCK LINES INC LGVW	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3000961D	NORTHWEST AUTO + TRUCK WRECKING INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000962D	SEATAC MARINE SERVICES LLC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3000968D	METRO FREIGHT SYSTEMS INC	WHITE RIVER	PH	8.5	6.5	STANDARD UNITS
SO3000978D	HORIZON AIR YAKIMA AIR TERMINAL	SPRING CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		9.5	MG/L
SO3001009D	BOEING SOUTH PARK FACILITY	DUWAMISH WATERWAY	PH	9	6	STANDARD UNITS
SO3001054D	SEATTLE SNOHOMISH MILL CO INC	SNOHOMISH RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3001072D	PORT OF BELLINGHAM BCT	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001078D	RECOMP OF WA	UNNAMED	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3001080D	SHASTA BEVERAGES INC	GREEN RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
			MERCURY, TOTAL (AS HG)	2.1		UG/L
SO3001088D	QUIL CEDA AUTO WRECKING	QUILCEDA CREEK	OXYGEN, DISSOLVED (DO)		8	MG/L
SO3001134D	SAINT GOBAIN CONTAINERS LLC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001153D	UNION PACIFIC RAILROAD CO FIFE	PUYALLUP RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3001155D	UNION PACIFIC RAILROAD CO DAWSON ST	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001168D	PORT OF OLYMPIA OCEAN TERMINAL	BUDD INLET (INNER)	OXYGEN, DISSOLVED (DO)		5	MG/L
			SOLIDS, TOTAL SUSPENDED	30		MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Benchmark</u>		<u>Units</u>
					<u>Max</u>	<u>Min</u>	
SO3001197D	BEN FRANKLIN TRANSIT	YAKIMA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3001207D	SOUTH TERMINAL/PIER 1/HEWITT TERM	POSSESSION SOUND (NORTH)	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3001217D	SAFETY KLEEN CORP AUBURN	MILL CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3001219D	AIRCO GASES DIV OF BOC SEATTLE	DUWAMISH WATERWAY	OXYGEN, DISSOLVED (DO)			6.5	MG/L
SO3001223D	KENYON ZERO STORAGE INC	YAKIMA RIVER	ARSENIC, TOTAL (AS AS)		360		UG/L
			COLIFORM, FECAL	\$	200		#/100 ML
SO3001242D	PORT OF LONGVIEW	UNNAMED	OXYGEN, DISSOLVED (DO)			6	MG/L
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3001365D	ALASKA MARINE LINES SEATTLE TERMINA	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3001432D	FEDERAL EXPRESS SEA	GREEN RIVER	CHROMIUM, TOTAL		237.67		UG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			MERCURY, TOTAL (AS HG)		2.1		UG/L
SO3001443D	NAVY CITY METALS INC	GORST CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3001461D	N W RECYCLING	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	COLIFORM, FECAL	\$	43		#/100 ML
		WHATCOM CREEK	COLIFORM, FECAL	\$	43		#/100 ML
SO3001488D	CITYICE COLD STORAGE	PUGET SOUND (CENTRAL)	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3001498D	PORT OF BELLINGHAM MAINT SHOP 619	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3001526D	TRIDENT SEAFOODS CORP PIER 91	ELLIOTT BAY	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3001540D	FRIDAY HARBOR MARINA	POSSESSION SOUND (NORTH)	COLIFORM, FECAL	\$	43		#/100 ML
SO3001546D	SAINT GOBAIN PERFORMANCE PLASTICS	LAKE WASHINGTON	COLIFORM, FECAL	\$	100		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters	Benchmark		Units
				Max	Min	
SO3001662D	NORTHWEST FOREST PRODUCTS	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001694D	PIONEER AMERICAS INC	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001817D	PENDLETON MILLS LLC	ELLIOTT BAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001835D	LAKE RIVER INDUSTRIAL SITE	LAKE RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3001859D	CASCADE HYDRAULICS AND MACHINE INC	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3001861D	CAFFALL BROS LONGVIEW FACILITY	UNNAMED	COLIFORM, FECAL	* 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3001862D	CAFFALL BROS WEYERHAEUSER YARD FAC	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3001873D	WAYRON LLC	LAKE SACAJAWEA	COLIFORM, FECAL	\$ 100		#/100 ML
SO3001897D	PIONEER INDUSTRIES	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3001918D	NORTHWEST GRATING PRODUCTS	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3001953D	FMH MATERIAL HANDLING SOLUTIONS	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3001958D	SEATTLE REFRIGERATION + MFG AKA AVJ	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3001974D	J M HUBER CORP	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3002000D	SAWDUST SUPPLY	UNNAMED	CADMIUM, TOTAL (AS CD)	3.54		UG/L
			COPPER	16.37		UG/L
			SOLIDS, TOTAL SUSPENDED	30		MG/L
			ZINC, TOTAL	110.56		UG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters	Benchmark		Units
				Max	Min	
SO3002040D	ASSOCIATED GROCERS 3301 NORFOLK	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3002048D	ACCEL PLASTICS	MILL CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002058D	STARROW ENTERPRISES	MILL CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002079D	TRUSS SPAN LBC 021 AUBURN	MILL CREEK	COLIFORM, FECAL	*		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002102D	COLUMBIA FIBER LTD LONGVW FIBER YD	COLUMBIA RIVER	TOTAL DISSOLVED GAS		110	PERCENT
SO3002110D	ARGENT CHEMICAL LABORATORIES	SAMMAMISH RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
			PH		6.5	STANDARD UNITS
SO3002111D	WEST COAST WIRE + ROPE RIGGING INC	DUWAMISH WATERWAY	PH		8.5	6.5 STANDARD UNITS
SO3002137D	UNITED IRON WORKS	DUWAMISH WATERWAY	PH		8.5	6.5 STANDARD UNITS
SO3002143D	CIRCUIT PARTNERS	TIBBETTS CREEK	COLIFORM, FECAL	*	200	#/100 ML
SO3002150D	GREEN GARDEN FOOD PRODUCTS INC	UNNAMED	CADMIUM, TOTAL (AS CD)		3.54	UG/L
			COPPER		16.37	UG/L
			SOLIDS, TOTAL SUSPENDED		30	MG/L
			ZINC, TOTAL		110.56	UG/L
SO3002151D	SHEETS + GRAPHIC SHEETS UNLIMITED	GREEN RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
			MERCURY, TOTAL (AS HG)		2.1	UG/L
SO3002158D	AIRPORT AUTO WRECKING TOO	GORST CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3002171D	BAKERY CHEF SEATTLE	UNNAMED	CADMIUM, TOTAL (AS CD)		3.54	UG/L
			COPPER		16.37	UG/L
			SOLIDS, TOTAL SUSPENDED		30	MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters	Benchmark		Units
				Max	Min	
SO3002171D	BAKERY CHEF SEATTLE	UNNAMED	ZINC, TOTAL	110.56		UG/L
SO3002208D	SEATTLE BOILERWORKS INC MYRTLE ST	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3002221D	CANFOR USA BELLINGHAM	SILVER CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002223D	ALUMINITE NORTHWEST	DILLENBAUGH CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3002227D	GLACIER NORTHWEST INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002242D	PACIFIC SKIFFS INC	ALLEN CREEK	OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002259D	OVERLAKE OIL INC KIRKLAND	LAKE WASHINGTON	COLIFORM, FECAL	* 100		#/100 ML
SO3002286D	CENTRAL FABRICATION INC	MILL CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002292D	FRANZ SEATTLE	UNNAMED	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002311D	RECYCLING + DISPOSAL SERVICES INC	SILVER CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3002341D	GENERAL RECYCLING OF WASHINGTON LLC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002346D	SHULTZ DISTRIBUTING INC SEA	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3002353D	DES MOINES CREEK TREATMENT PLANT	DES MOINES CREEK	COLIFORM, FECAL	100		#/100 ML
SO3002401D	PABCO ROOFING PRODUCTS	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002471C	SWAN BAY HOLDINGS DOCK	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3002512C	GOLDEN STATE FOODS SUMNER	WHITE RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3002517C	PORT OF SEATTLE MARINE MAINT SHOP	UNNAMED	PH	8.5	6.5	STANDARD UNITS

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>	<u>Benchmark</u>		<u>Units</u>
				<u>Max</u>	<u>Min</u>	
SO3002517C	PORT OF SEATTLE MARINE MAINT SHOP	UNNAMED	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002526C	MCCONKEY AND CO	WHITE RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3002641C	CEDAR GROVE COMPOST WEBSTER YARD	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3002652C	ALLIED STEEL FABRICATORS INC	SAMMAMISH RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
			PH	8.5	6.5	STANDARD UNITS
SO3002719C	LOUIS DREYFUS CORP GRAIN ELEVATOR	ELLIOTT BAY	COLIFORM, FECAL	* 200		#/100 ML
SO3002721C	RAINIER PETROLEUM P 15	ELLIOTT BAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002734C	JOHNSON CONCENTRATES	YAKIMA RIVER	COLIFORM, FECAL	\$ 100		#/100 ML
SO3002789C	AURORA AUTO WRECKING SEA	GREEN LAKE	PHOSPHORUS, TOTAL (AS P)	20		MG/L
SO3002830C	AMERIFLIGHT INC HANGAR 5	DUWAMISH WATERWAY	COLIFORM, FECAL	* 400		#/100 ML
			OXYGEN, DISSOLVED (DO)		6.5	MG/L
SO3002835C	OVERNITE TRANSPORTATION CO 9/3/96	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3002839B	PUGLIA ENGINEERING INC	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3002966C	EVERGREEN TRAILS INC	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3003231C	JORGENSEN FORGE CORP	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3003235C	AMTRAK RAILROAD KING ST MAINTENANCE	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3003241C	HARDEL MUTUAL PLYWOOD CORP CHEHALIS	DILLENBAUGH CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3003252C	MACMILLAN PIPER MASS SHOP	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3003402C	JELD-WEN COATINGS TUKWILA	GREEN RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
			MERCURY, TOTAL (AS HG)	2.1		UG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters		Benchmark		Units
					Max	Min	
SO3003411C	AMERICAN ROOFING RECYCLERS LLC	BLACKMANS LAKE	COLIFORM, FECAL	\$	200		#/100 ML
			PHOSPHORUS, TOTAL (AS P)		20		MG/L
SO3003484C	WESTWAY FEED PRODUCTS	SNAKE RIVER	OXYGEN, DISSOLVED (DO)			8	MG/L
SO3003594C	GENIE INDUSTRIES MAIN CAMPUS	BEAR CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3003598C	FIBRES INTERNATIONAL INC 4TH AV	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3003645C	SEATTLE IRON + METALS CORP	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3003762C	KITSAP TRANSIT SOUTH BASE	UNNAMED	COLIFORM, FECAL	*	100		#/100 ML
SO3003779C	NORTHWEST CONTAINER SERVICES INC	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
			PH		9	6	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3003855C	HOLBROOK INC OLYMPIA PUBLIC YARD	BUDD INLET (INNER)	PH		8.5	6.5	STANDARD UNITS
			PH		9	6	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3003986C	CIBA SPECIALTY CHEMICALS PLANT	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3003991C	WASTE MGMT RST DISPOSAL TRANS	MILL CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3004440B	TOYOCOM LONGVIEW PLANT	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3004473B	PACIFIC METAL FABRICATION	WHITE RIVER	PH		8.5	6.5	STANDARD UNITS
SO3004481B	DAYTON SUPERIOR DAYTON RICHMOND	UNNAMED	CADMIUM, TOTAL (AS CD)		3.54		UG/L
			COPPER		16.37		UG/L
			SOLIDS, TOTAL SUSPENDED		30		MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters	Benchmark		Units
				Max	Min	
SO3004481B	DAYTON SUPERIOR DAYTON RICHMOND	UNNAMED	ZINC, TOTAL	110.56		UG/L
SO3004509B	ISLAND TUG AND BARGE TERMINAL 7C	DUWAMISH WATERWAY	COLIFORM, FECAL	\$ 400		#/100 ML
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3004515B	ROEMER ELECTRIC STEEL FOUNDRY	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3004526B	WESTWAY FEED PRODUCTS CO INC	UNNAMED	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3004557B	H AND H DIESEL SERVICE INC	HYLEBOS CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3004570B	PORT OF PORT ANGELES TERMINAL 5 LOG	PORT ANGELES HARBOR	OXYGEN, DISSOLVED (DO)		6	MG/L
SO3004602B	ABX AIR, INC - SEATTLE	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3004603B	COLSON RENDERING INC AT 21800	SHANGHAI CREEK	OXYGEN, DISSOLVED (DO)		8	MG/L
			PH	8.5	6.5	STANDARD UNITS
SO3004604B	COUNTY LINE EQUIPMENT	HYLEBOS CREEK	COLIFORM, FECAL	* 200		#/100 ML
SO3004605B	ALASKA STREET RELOAD & RECYCLING	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3004607B	US GYPSUM CORPORATION - AUBURN	MILL CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3004609B	MILGARD WOOD CLAD DIVISION	HYLEBOS CREEK	COLIFORM, FECAL	\$ 400		#/100 ML
SO3004611B	ALL OUT SEWER & DRAIN SERVICE, INC	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3004613B	COWLITZ CLEAN SWEEP	UNNAMED	OXYGEN, DISSOLVED (DO)		8	MG/L
			TURBIDITY	25		NTU
SO3004614B	LEE & EASTES TANK LINES INC	ELLIOTT BAY	SOLIDS, TOTAL SUSPENDED	30		MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>	<u>Benchmark</u>		<u>Units</u>
				<u>Max</u>	<u>Min</u>	
SO3004615B	NORTH STAR YACHTS	COLUMBIA RIVER	TOTAL DISSOLVED GAS	110		PERCENT
SO3004619B	LACEY AUTO WORKS	WOODWARD CREEK	COLIFORM, FECAL	200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3004620A	ROADWAY EXPRESS INC (T870)	DUWAMISH WATERWAY	PH	8.5	6.5	STANDARD UNITS
SO3004624A	PULLMAN, CITY OF TRANSIT FACILITY	SOUTH FORK PALOUSE RIVER	OXYGEN, DISSOLVED (DO)		8	MG/L
SO3004625A	PULLMAN CITY OF WWTP	SOUTH FORK PALOUSE RIVER	OXYGEN, DISSOLVED (DO)		8	MG/L
SO3004626A	OLYMPIC PANEL PRODUCTS LLC	SHELTON CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3004628A	BOISE CASCADE CORPORATION	CHEHALIS RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3004630A	CON WAY WESTERN EXPRESS USE	GREEN RIVER	COLIFORM, FECAL	\$ 200		#/100 ML
SO3004634A	CRESLINE-NORTHWEST LLC	DILLENBAUGH CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
SO3004637A	GREEN CROW TERMINAL #5 LOG YARD	PORT ANGELES HARBOR	OXYGEN, DISSOLVED (DO)		6	MG/L
SO3005562A	PACIFIC RAIL SERV+BNSF SO SEATTLE	DUWAMISH	COLIFORM, FECAL	\$ 400		#/100 ML
			OXYGEN, DISSOLVED (DO)		6.5	MG/L
SO3005563A	R W RHINE INC	NORTH FORK CLOVER CREEK	COLIFORM, FECAL	\$ 200		#/100 ML
			OXYGEN, DISSOLVED (DO)		8	MG/L
SO3005564A	SARA LEE FRESH INC	UNNAMED	CADMIUM, TOTAL (AS CD)	3.54		UG/L
			COPPER	16.37		UG/L
			SOLIDS, TOTAL SUSPENDED	30		MG/L
SO3005566A	SIERRA JUNCTION CITY SAWMILL	GRAYS HARBOR (INNER)	COLIFORM, FECAL	\$ 200		#/100 ML
SO3005577A	PENDLETON WOOLEN MILLS	GIBBONS CREEK	COLIFORM, FECAL	* 200		#/100 ML
SO3005579A	SMITH TOWING	SHELTON CREEK	COLIFORM, FECAL	200		#/100 ML
SO3005588A	FATIGUE TECHNOLOGY INC TUKWILA	GREEN RIVER	MERCURY, TOTAL (AS HG)	2.1		UG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Benchmark</u>		<u>Units</u>
					<u>Max</u>	<u>Min</u>	
SO3005592A	PACCAR PARTS NORTHWEST DISTRIBUTION	LAKE WASHINGTON	COLIFORM, FECAL	\$	100		#/100 ML
SO3005598A	BOYER LOGISTICS INC	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS
SO3005602A	REVCHEM PLASTICS INC	COMMENCEMENT BAY (INNER)	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3005603A	BP SEATTLE TERMINAL	DUWAMISH WATERWAY	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3005605A	GULL THUNDERBIRD LUBRICATIONS	MIDDLE FORK QUILCEDA CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3005609A	EQUIPMENT TECHNOLOGIES WEST	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3005611A	KING COUNTY LAKE UNION FACILITIES	LAKE UNION	SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3005617A	MONSTER AUTO WRECKING INC	UNNAMED	BIS (2-ETHYLHEXYL) PHTHALATE		940		UG/L
SO3005619A	COLORADO ST FACILITY RAINIER PETRO	UNNAMED	PH		8.5	6.5	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3005621A	DR CONCRETE RECYCLE	DUWAMISH WATERWAY	COLIFORM, FECAL	\$	400		#/100 ML
			OXYGEN, DISSOLVED (DO)			6.5	MG/L
SO3005626A	HORSE SHOE LAKE AUTO WRECKING	MINTER CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3005629A	BEACON BATTERIES INDUSTRIES	SOUTH FORK DAKOTA CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3005632A	LONGVIEW CITY SHOP	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3006607A	MICRO MARINE LLC	WILLAPA RIVER	COLIFORM, FECAL	*	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3006618A	IMPERIAL FABRICATING COMPANY	BERWICK CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3008681A	INSURANCE AUTO AUCTIONS TUKWILA	DUWAMISH WATERWAY	PH		8.5	6.5	STANDARD UNITS

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

Industrial Stormwater General Permits

303D Impaired Note: You must also check the TMDL list.

Appendix 4

Permit ID	Permittee Name	Water Body Name	Parameters		Benchmark		Units
					Max	Min	
SO3008693A	ROLLING FRITO LAY SALES LP FERNDALE	SILVER CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3008694A	ROLLING FRITO LAY SALES LP REDMOND	SAMMAMISH RIVER	COLIFORM, FECAL	\$	100		#/100 ML
			PH		8.5	6.5	STANDARD UNITS
SO3008696A	NORTH WEST HARDWOODS BAXTER YARD	SKOOKUMCHUCK RIVER	COLIFORM, FECAL	\$	100		#/100 ML
SO3008699A	WILCOX & FLEGEL OIL CO ILWACO PLANT	COLUMBIA RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3008702A	W&A ENTERPRISES	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU
SO3008704A	TEAL JONES LUMBER SERVICES INC	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3008712A	JOEL OLSON TRUCKING INC	COUGAR CANYON	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3008713A	GKN AEROSPACE CHEM-TRONICS INC	UNNAMED	CADMIUM, TOTAL (AS CD)		3.54		UG/L
			COPPER		16.37		UG/L
			SOLIDS, TOTAL SUSPENDED		30		MG/L
			ZINC, TOTAL		110.56		UG/L
SO3008714A	CON WAY WESTERN EXPRESS UTA E 28TH	HYLEBOS CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3008720A	PEPSI BOTTLING GROUP SEATTLE PLANT	DUWAMISH WATERWAY	PH		9	6	STANDARD UNITS
			SOLIDS, TOTAL SUSPENDED		30		MG/L
SO3008727A	MILGARD MANUFACTURING INC.	FIFE DITCH	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)		21.8		MG/L
			OXYGEN, DISSOLVED (DO)			8	MG/L
SO3008733A	FLEXIBLE FOAM PRODUCTS INC	UNNAMED	OXYGEN, DISSOLVED (DO)			8	MG/L
			TURBIDITY		25		NTU

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.